

Induction of the Common-Sense Hierarchies in Lexical Data

Julian Szymański¹ and Włodzisław Duch^{2,3}

¹ Department of Computer Systems Architecture, Gdańsk University of Technology, Poland
julian.szymanski@eti.pg.gda.pl

² Department of Informatics, Nicolaus Copernicus University, Toruń, Poland

³ School of Computer Engineering, Nanyang Technological University, Singapore
Google: W. Duch

Abstract. Unsupervised organization of a set of lexical concepts that captures common-sense knowledge inducing meaningful partitioning of data is described. Projection of data on principal components allow for identification of clusters with wide margins, and the procedure is recursively repeated within each cluster. Application of this idea to a simple dataset describing animals created hierarchical partitioning with each clusters related to a set of features that have common-sense interpretation.

Keywords: hierarchical clustering, spectral analysis, PCA.

1 Introduction

Categorization of concepts into meaningful hierarchies lies at the foundation of understanding their meaning. Ontologies provide such hand-crafted hierarchical classification, but they are based usually on expert knowledge, not on the common-sense knowledge. For example, most biological taxonomies are hard to understand for lay people. There is no relationship between linguistic labels and their referents, so words may only point at the concept, inducing brain states that contain semantic information, predisposing people to meaningful associations and answers. In particular visual similarity is not related to names. Dog's breeds are categorized depending on their function, like Sheepdogs and Cattle Dogs, Scenthounds, Pointing Dogs, Retrievers, Companion and Toy Dogs, with many diverse breeds within each category. Such categories may have very little in common when all properties are considered. Differences between two similar dog breeds may be based on rare traits, not relevant to general classification. This makes identification of objects by their description quite difficult and the problem of forming common sense natural categories worth studying.

In this paper we have focused on relatively simple data describing animals. First, this is a domain where everyone has relatively good understanding of similarity and hierarchical description, second there is a lot of structured information in the Internet resources that may be used to create detailed description of the animals, third one can test the quality of such data by playing word games. We shall look at the novel way of using principal component analysis (PCA) to create hierarchical descriptions, but many other choices and other knowledge domains (for example, automatic classification of library subjects) may be treated using similar methodology.

2 The Data

The data used in the experiments has been obtained using automatic knowledge acquisition followed by corrections resulting from the 20-questions word game [1]. The point of this game is to guess the concept the opponent is thinking of by asking questions that should narrow down the set of likely concepts. In our implementation¹ the program is trying to make a guess asking people questions. Results are used to correct lexical knowledge and in its final stage controlled dialog between human and computer, based on several plausible scenarios, is added to acquire additional knowledge. If the program wins, guessing the concept correctly, it will strengthen the knowledge related to this concept. If it fails, human is asked additional question „What did you think of?” and concepts related to the answer are added or features are modified according to the information harvested during the game.




Fig. 1. Data used in the experiments visualized with Self-Organizing Map

Implementation of our knowledge acquisition system based on the 20-question game uses a semantic memory model [2] to store lexical concepts. This approach makes it more versatile than using just correlation matrix, as it has been successfully done in the implementation of this word game². The matrix stores correlations between objects and features using weights that describe mutual association derived from thousands of games, providing decomposition of each concepts into a sum of contributions from questions. Such representation is flat and does not treat lexical features as natural

¹ <http://diodor.eti.pg.gda.pl>

² <http://www.20-q.net>

language concepts that allow for creation of a hierarchy of the common sense objects. Our program, based on semantic memory representation, shows elementary linguistic competence collecting common sense knowledge in restricted domains [1], and the knowledge generated may be used in many ways, for example by generating word puzzles.

This lexical data in semantic memory may be reorganized in a way that will introduce generalizations and increase cognitive economy [3]. This hierarchy is induced searching for the directions with highest variance using PCA eigenvectors, separating subsets of concepts and repeating the process to create consecutive subspaces. To illustrate and better understand this process a relatively small experiment has been performed.




Fig. 2. The data used in the experiments visualized with MDS

A test dataset with 84 concepts (animals, or in general some objects) described by 71 features has been constructed after performing 346 games. The dataset used in the experiments is displayed using Self-Organizing Map (SOM) [4] visualization in Fig. 1 and with parametric Multidimensional Scaling (MDS) [5] in Fig. 2. Distances between points that represent dissimilarities between animals are calculated using cosine measures $d(\mathbf{X}, \mathbf{Z}) = \mathbf{X} \cdot \mathbf{Z} / \|\mathbf{X}\| \|\mathbf{Z}\|$

3 PCA Directions

Expert taxonomies are frequently based on single feature, such as mammals, and then marsupials, but common-sense categorization is based on combination of features that makes objects similar. Principal Component Analysis [6] finds directions of highest data variance. Projecting the data on these direction shows interesting combination of features and thus helps to select groups of correlated features that separate data points, creating subsets of animals.




Fig. 7. Projections of the reduced data set using succeeding single principal components

Analyzing subsequent PCA component projections (given in Fig. 5 and 7) shows that the second principal component does not lead always to the best cut in the graph. It is better to select the component that produces the widest separation margin within the data, choosing a different principal component for each hierarchy level. For creating the first hierarchy level the second component is selected, separating birds from other animals, creating one pure and one mixed cluster (Fig. 5). Features of the second PCA component (Fig. 4) with lowest and highest weights include: (-)climb, (-)cold-blooded and (+)beak, (+)feather, (+)bird, (+)wing, (+)warmblooded. Note that one feature *is-bird* alone is sufficient to create this partitioning but correlated features separate this cluster in a better way.

To capture some common-sense knowledge hierarchical partitioning is created in a top-down way Each of the newly created clusters is analyzed using PCA and principal components that give the widest separation margins are selected for data partitioning. PCA is performed recursively on reduced data that belong to the selected cluster. In Fig. 7 the first 6 components computed for the large mixed cluster (that does not contain birds) created on the second hierarchy level is presented. This cluster has been formed after separating the birds and other animals with the second component (shown in Figure 5). Within this cluster the widest margin is created with the first component and it separate mammals (with the exception of dolphins and whales) from other animals.

here may be an approximation of some of the neural processes responsible for language comprehension.

Hierarchical organization of lexical data has been created here in an unsupervised way by selecting linear combinations of features that provide clear separation of concepts. Extension of this approach may be based on bi-clustering, taking into account clusters of features that are relevant for creating meaningful clusters of data. The main idea is to strengthen features that are correlated to the dominant one, or to the features given by the user who may want to view the data from a specific angle [13]. Non-negative matrix factorization [14] is another useful technique that may replace PCA. Many other variants of unsupervised data analysis methods are worth exploring in the context of this approach to induction of the common-sense hierarchies in data.

Acknowledgements. The work has been supported by the Polish Ministry of Science and Higher Education under research grant N519 432 338.

References

1. Szymański, J., Duch, W.: Information retrieval with semantic memory model. *Cognitive Systems Research* (in print, 2011)
2. Tulving, E.: Episodic and semantic memory. *Organization of Memory*, 381–402 (1972)
3. Conrad, C.: *Cognitive economy in semantic memory* (1972)
4. Kohonen, T.: The self-organizing map. *Proceedings of the IEEE* 78, 1464–1480 (1990)
5. Shepard, R.: Multidimensional scaling, tree-fitting, and clustering. *Science* 210, 390 (1980)
6. Jolliffe, I.: *Principal component analysis*. Wiley Online Library (2002)
7. Day, W., Edelsbrunner, H.: Efficient algorithms for agglomerative hierarchical clustering methods. *Journal of Classification* 1, 7–24 (1984)
8. Rahimi, A., Recht, B.: Clustering with normalized cuts is clustering with a hyperplane. *Statistical Learning in Computer Vision* (2004)
9. Dhillon, I.: Co-clustering documents and words using bipartite spectral graph partitioning. In: *Proceedings of the seventh ACM SIGKDD International Conference on Knowledge Discovery and Data Mining*, pp. 269–274. ACM (2001)
10. Kannan, R., Vetta, A.: On clusterings: Good, bad and spectral. *Journal of the ACM (JACM)* 51, 497–515 (2004)
11. Shi, J., Malik, J.: Normalized cuts and image segmentation. *IEEE Transactions on Pattern Analysis and Machine Intelligence* 22, 888–905 (2000)
12. Duch, W., Matykiewicz, P., Pestian, J.: Neuro-linguistic approach to natural language processing with applications to medical text analysis. *Neural Networks* 21(10), 1500–1510 (2008)
13. Szymański, J., Duch, W.: Dynamic Semantic Visual Information Management. In: *Proceedings of the 9th International Conference on Information and Management Sciences*, pp. 107–117 (2010)
14. Lee, D., Seung, S.: Learning the parts of objects by non-negative matrix factorization. *Nature* 401, 788–791 (1999)